urchin softlight



molo design, ltd. 1470 venables street vancouver, bc canada V5L 2G7

t + 1 604 685 0340 info@molodesign.com

www.molodesign.com instagram·molo_studio twitter·molostudio facebook·molodesign



urchin softlight

urchin softlight invites playful interaction. Using flexible honeycomb geometry, urchin expands and morphs into myriad shapes as you manipulate it with your hands. Its elastic movement and shifting form are akin to that of a sea creature, giving the luminary its unique name. Adjusting urchin's form also adjusts the intensity, direction and quality of light—a beautiful, tactile way to sculpt light within a space.

The shade is made from a tear- and water-resistant, non-woven polyethylene textile that is antistatic so as to not attract dust. The integrated LED light source is available in warm white (2500K) or daylight white (4200K) colour temperatures.

Design by Stephanie Forsythe + Todd MacAllen





rare earth magnets set into the final layer of textile form a hidden seam for the shade to fasten to itself.




urchin's asymmetrical sides create two distinct families of forms. Flipping the flat side out turns the shade into a cone or cylinder, while the curved side fashions more rounded, organic shapes.







the shades are made from a tear- and water-resistant non-woven polyethylene textile that possesses the delicate look of Japanese washi.









a custom dimmer featuring one-button functionality cycles urchin's luminosity from off to full brightness and back.

product	dimensions + spec	power supply voltage	LED colour	product code
small urchin softlight	white bands shade white bands shade adaptin when 250 turnor— 300 power daw 250 no. 350 no. 102 O 103 7 placepe waith 1 did (Sta) site in lose 403 250 x 500 no. (17 st/ x st/)	phug-in 110 - 240 V NA virt Biglig in the chimer included	daylight white 4200K warm white 2500K	URCT-WH-SM-DW URCT-WH-SM-WW
medium urchin softlight	wifes bedia shala was make 700 kmm - 100 kmm -	plug-in 110 - 240 V NA and Driving As and Branch Frounds	dsylight white 4200K warm white 2500K	URCT-WHMD-DW URCT-WHMD-WW
large urchin softlight	withs cards, those were with a final process of the cards	plug-in 110 - 240 V Mk.endil ying in-line dimmer reduked	daylight white 4200K warm white 2500K	URC-T-WH-LG-DW URC-T-WH-LG-WW